Harmonized Tariff Schedule of the United States (2000)

Annotated for Statistical Reporting Purposes

CHAPTER 27

MINERAL FUELS, MINERAL OILS AND PRODUCTS OF THEIR DISTILLATION; BITUMINOUS SUBSTANCES; MINERAL WAXES

V 27-1

Notes

- 1. This chapter does not cover:
 - (a) Separate chemically defined organic compounds, other than pure methane and propane which are to be classified in heading 2711;
 - (b) Medicaments of heading 3003 or 3004; or
 - (c) Mixed unsaturated hydrocarbons of heading 3301, 3302 or 3805.
- 2. References in heading 2710 to "petroleum oils and oils obtained from bituminous minerals" include not only petroleum oils and oils obtained from bituminous minerals, but also similar oils, as well as those consisting mainly of mixed unsaturated hydrocarbons, obtained by any process, provided that the weight of the nonaromatic constituents exceeds that of the aromatic constituents.

However, the references do not include liquid synthetic polyolefins of which less than 60 percent by volume distills at 300°C, after conversion to 1,013 millibars when a reduced-pressure distillation method is used (chapter 39).

Subheading Notes

- 1. For the purposes of subheading 2701.11, "anthracite" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) not exceeding 14 percent.
- 2. For the purposes of subheading 2701.12, "bituminous coal" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) exceeding 14 percent and a calorific value limit (on a moist, mineral-matter-free basis) equal to or greater than 5,833 kcal/kg.
- 3. For the purposes of subheadings 2707.10, 2707.20, 2707.30, 2707.40 and 2707.60, the terms "<u>benzene</u>," "<u>toluene</u>," "<u>xylene</u>," "<u>naphthalene</u>" and "<u>phenols</u>" apply to products which contain more than 50 percent by weight of benzene, toluene, xylene, naphthalene or phenols, respectively.

Additional U.S. Notes

- 1. (a) Crude petroleum oils, crude oils obtained from bituminous minerals and reconstituted crude petroleum shall, if products of Canada, be admitted free of duty and any entry therefor shall be liquidated or reliquidated accordingly if, on or before the 180th day after the date of entry, documentation is filed with the customs officer concerned establishing that, pursuant to a commercial exchange agreement between the United States and Canadian refiners which has been approved by the Secretary of Energy-
 - (i) An import license for the products covered by such entry has been issued by the Secretary; and
 - (ii) An equivalent amount of domestic or duty-paid foreign crude petroleum oils, crude oils obtained from bituminous minerals or reconstituted crude petroleum have, pursuant to such commercial exchange agreement and to an export license issued by the Secretary of Commerce, been exported from the United States to Canada and have not previously been used to effect the duty-free entry of like Canadian products under this U.S. note.
 - (b) The Secretary of the Treasury, after consulting with the Secretary of Commerce and the Secretary of Energy, shall issue such rules or regulations as may be necessary governing the admission of Canadian products pursuant to the provisions of this U.S. note.
- 2. For the purposes of heading 2710, "petroleum oils" includes only products having:
 - (a) A Congealing Point (ASTM D 938) of less than 30°C; or
 - (b) If the Congealing Point is not less than 30°C:
 - (i) A density at 70°C of less than 0.942 and a Worked Cone Penetration (ASTM D 217) or a Cone Penetration (ASTM D 937) at 25°C of not less than 350; or
 - (ii) If the density at 70°C is not less than 0.942 having a Needle Penetration (ASTM D 5) at 25°C of not less than 400.
- 3. For the purposes of subheading 2710.00.15, "motor fuel" is any product derived primarily from petroleum, shale or natural gas, whether or not containing additives, which is principally used as a fuel in internal-combustion or other engines.

Harmonized Tariff Schedule of the United States (2000)

Annotated for Statistical Reporting Purposes

V 27-2

- 4. For the purposes of subheading 2710.00.18, "motor fuel blending stock" means any product (except naphthas of subheading 2710.00.25) derived primarily from petroleum, shale oil or natural gas, whether or not containing additives, to be used for direct blending in the manufacture of motor fuel.
- 5. In determining the relative weights of components of the mixtures provided for in subheading 2710.00.45, naphtha and other petroleum derivatives which may be present in such mixtures as solvents shall be disregarded.
- 6. For the purposes of heading 2716:
 - (a) The term "electrical energy" does not include electrical energy transmitted as a medium of communication; and
 - (b) Electrical energy shall not be subject to the entry requirements for imported merchandise set forth in section 484 of the Tariff Act of 1930, as amended, (19 U.S.C. 1484), but shall be entered on a periodic basis in accordance with regulations to be prescribed by the Secretary of the Treasury.
- 7. For the purposes of this chapter, the term barrel (bbl) means a barrel of 158.98 liters measured at 15.6°C.
- 8. Subheading 2712.10.00 does not include petroleum jelly, suitable for use for the care of the skin, put up in packings of a kind sold at retail for such use (subheading 3304.99.10).

Statistical Note

1. For the purposes of statistical reporting number 2711.11.0000, the volume of liquid natural gas shall be reported on a gaseous equivalent volume basis.

Heading/	Stat.		Unit		Rates of Duty	27-3
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
2701		Coal; briquettes, ovoids and similar solid fuels				
		manufactured from coal: Coal, whether or not pulverized, but not agglomerated:				
2701.11.00	00	Anthracite	t	Free		Free
2701.12.00	4.0	Bituminous coal		Free		Free
	10 50	Metallurgical coal				
2701.19.00	00	Other coal		Free		Free
2701.20.00	00	Briquettes, ovoids and similar solid fuels manufactured from coal		F		
		manufactured from coal	ι	Free		Free
2702		Lignite, whether or not agglomerated, excluding jet:				
2702.10.00	00	Lignite, whether or not pulverized, but not				
		agglomerated				Free
2702.20.00	00	Agglomerated lignite	t	Free		Free
2702 00 00	00	Doet (including poet litter), whether or not agalemented		Fron		Free
2703.00.00	00	Peat (including peat litter), whether or not agglomerated		riee		riee
2704.00.00		Coke and semicoke of coal, of lignite or of peat, whether				
		or not agglomerated; retort carbon		Free		Free
	10	Coke larger than 100 mm (4 inches) in maximum				
		diameter and at least 50 percent of which is				
		retained on a 100-mm (4-inch) sieve after drop shatter testing pursuant to ASTM D 3038, of a				
		kind used in foundries	t			
	٥.	Other				
	25 50	Other Other				
2705.00.00	00	Coal gas, water gas, producer gas and similar gases,				
		other than petroleum gases and other gaseous hydrocarbons	thousand	Free		Free
		,	m ³			
			kg			
2706.00.00	00	Tar distilled from coal, from lignite or from peat, and other				
		mineral tars, whether or not dehydrated or partially		_		_
		distilled, including reconstituted tars	liters	Free		Free
2707		Oils and other products of the distillation of high				
		temperature coal tar; similar products in which the weight				
		of the aromatic constituents exceeds that of the nonaromatic constituents:				
2707.10.00	00	Benzene	liters	Free		Free
2707.20.00 2707.30.00	00	Toluene	liters	Free Free		Free Free
2707.30.00	10	m-Xylene		riee		riee
	20	o-Xylene	liters			
	30 40	p-Xylene Other	liters liters			
2707.40.00	00	Naphthalene	kg	Free		Free
0707 50 00	00		liters			
2707.50.00	UÜ	Other aromatic hydrocarbon mixtures of which 65 percent or more by volume (including losses) distills				
		at 250°C by the ASTM D 86 method	kg	Free		Free
2707.60		Dhonolo	liters			
2707.60 2707.60.05	00	Phenols: Containing more than 50 percent by weight of				
		hydroxybenzene	kg	2.9¢/kg +		7.7¢/kg +
2707.60.10	00	Metacresol, orthocresol, paracresol and		12.5%	MX)	29.5%
2101.00.10	00	metacresol, orthocresol, paracresol and metaparacresol, all the foregoing having a purity of				
		75 percent or more by weight	kg	0.9¢/kg +	Free (A,CA,E,IL,J,	15.4¢/kg +
2707.60.90	OΩ	Other	kg	3% Free	MX)	42.5% Free
2101.00.90	00	Ouici	''y	1166		1166

V 27-4

27-4	_				_	
	Stat.	• · · · · · · · · · · · · · · · · · · ·	Unit		Rates of Duty	1
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
2707 (con.)		Oils and other products of the distillation of high temperature coal tar; similar products in which the weight of the aromatic constituents exceeds that of the nonaromatic constituents (con.): Other:				
2707.91.00 2707.99	00	Creosote oils Other:	liters			Free
2707.99.20	00 00 00	Light oil	kg	Free		Free Free
0707 00 50		more by weight	_	3%	Free (A,CA,E,IL,J, L,MX)	15.4¢/kg + 40% Free
2707.99.50	10 90	Carbon black feedstocks	bbl	Free		Free
2708		Pitch and pitch coke, obtained from coal tar or from other mineral tars:				
	00	Pitch				Free Free
2709.00		Petroleum oils and oils obtained from bituminous minerals, crude:				
2709.00.10	00	Testing under 25 degrees A.P.I	bbl	5.25¢/bbl	Free (A+,CA,IL) 1.5¢/bbl (MX)	21¢/bbl
2709.00.20	00	Testing 25 degrees A.P.I. or more	bbl	10.5¢/bbl	Free (A+,CA,IL) 3.1¢/bbl (MX)	21¢/bbl
2710.00		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations: Distillate and residual fuel oils (including blended fuel oils):				
2710.00.05	05	Testing under 25 degrees A.P.I		5.25¢/bbl	Free (A+,CA,IL) 1.5¢/bbl (MX)	21¢/bbl
	4.5	weight of sulfur	bbl			
	15	Containing more than 0.05 percent by weight of sulfur	bbl			
	25 30 35 50	Fuel oil No. 5 Fuel oil No. 6 Other Other	bbl bbl bbl			

Heading/	Stat.		Unit	1	Rates of Duty	27-5
•	Suf-	Article Description	of		1	2
<u> </u>	fix	<u>'</u>	Quantity	General	Special	<u> </u>
2710.00 (con.)		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations (con.): Distillate and residual fuel oils (including blended fuel oils) (con.):				
2710.00.10		Testing 25 degrees A.P.I. or more		10.5¢/bbl	Free (A+,CA,IL) 3.1¢/bbl (MX)	21¢/bbl
	01	Diesel oil: Containing not more than 0.05 percent by weight of sulfur	bbl			
	04	Containing more than 0.05 percent by weight of sulfur	bbl			
	06	Other: Containing not more than 0.05 percent by weight of sulfur	bbl			
	08	Containing more than 0.05 percent by weight of sulfur Other:	bbl			
	12	Containing not more than 0.05 percent by weight of sulfur	bbl			
	14	Containing more than 0.05 percent by weight of sulfur Having a Saybolt Universal viscosity at 37.8°C of 45 seconds or more but not more than	bbl			
	15	125 seconds (No. 4-type fuel oils): Containing not more than 0.05 percent by weight of sulfur	bbl			
	25 50	Containing more than 0.05 percent by weight of sulfur	bbl			
2710.00.15	50	Having a Saybolt Universal viscosity at 37.8°C of more than 125 seconds (heavy fuel oils) Motor fuel	bbl 	52.5¢/bbl <u>1</u> /	Free (A+,CA,IL) <u>1</u> / 15.7¢/bbl (MX) 1/	\$1.05/bbl 1/
	10	Gasoline: Leaded	bbl		, , , <u>-</u>	
	14 16 18 20 30 50	Reformulated Oxygenated Other Jet fuel, naphtha-type Jet fuel, kerosene-type Other	bbl bbl bbl bbl bbl			
2710.00.18	00			52.5¢/bbl <u>1</u> /	Free (A+,CA,IL) <u>1/</u> 15.7¢/bbl (MX) <u>1/</u>	\$1.05/bbl <u>1</u> /
2710.00.20	00	Kerosene (except motor fuel or motor fuel blending stock)	bbl	10.5¢/bbl	Free (A+,CA,IL) 3.1¢/bbl (MX)	21¢/bbl
<u>1</u> / See hea	ding	s 9901.00.50 and 9901.00.52.				

V 27-6

27-6						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of			2
	fix		Quantity	General	Special	
2710.00 (con.)		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations (con.):				
2710.00.25	00	Naphthas (except motor fuel or motor fuel blending stock)	bbl	10.5¢/bbl	Free (A+,CA,IL) 3.1¢/bbl (MX)	21¢/bbl
2710.00.30		Lubricating oils and greases, with or without additives: Oils		84¢/bbl	Free (A+,CA,IL) 25.2¢/bbl (MX)	\$1.68/bbl
	10 20	Automotive, diesel or marine engine	bbl bbl		, , ,	
0740 00 05	30 40 50 70 80	Turbine lubricating oil, including marine Automotive gear oils Steam cylinder oils Quenching or cutting oils Other Greases:	bbl bbl			
2710.00.35	00	Containing not over 10 percent by weight of salts of fatty acids of animal (including marine animal) or vegetable origin	kg	5.8%	Free (A,CA,IL,MX)	20%
2710.00.40	00	Other	kg	1.3¢/kg + 5.7%	Free (A,CA,IL,MX)	4.4¢/kg + 20%
2710.00.45		Other: Mixtures of hydrocarbons not elsewhere specified or included, which contain by weight not over 50 percent of any single hydrocarbon compound		10.5¢/bbl	Free (A+,CA,IL)	21¢/bbl
	10	Condensate derived wholly from natural gas White mineral oil:	bbl		3.1¢/bbl (MX)	
	30 40 45	Medicinal grade	bbl bbl			
2710.00.60	90	Other Other		7%	Free (A+,CA,E,IL, J) 2.1% (MX)	25%
2711		Petroleum gases and other gaseous hydrocarbons: Liquefied:			2.1 % (IVIX)	
2711.11.00	00	_	thousand m ³			Free
2711.12.00	10	Propane	bbl	Free		Free
2711.13.00	10	Other	bbl bbl	Free		Free
2711.14.00	20 10 20 30	Other Ethylene, propylene, butylene and butadiene Ethylene Propylene Butylene	bbl kg kg kg	Free		Free
2711.19.00	40 10 20		kg bbl kg liters	Free		Free

						27-7
	Stat.	Adda Dan 111	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
2711 (con.)		Petroleum gases and other gaseous hydrocarbons (con.):	Quantity	General	Special	
2711 (0011.)		In gaseous state:				
2711.21.00	00	Natural gas	thousand	Free		Free
0744 00 00		Other	m ³	F		
2711.29.00		Other Propane:		Free		Free
	10	Propane with a minimum purity of 90 liquid				
		volume percent	bbl			
	4.5	0.0				
	15	Other Butanes:	bbl			
	20	Butanes with a purity of 90 liquid volume				
		percent or more, but less than 95 liquid				
		volume percent	bbl			
	25	Other	bbl			
	60	Other	X			
2712		Petroleum jelly; paraffin wax, microcrystalline petroleum				
		wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes and similar products obtained by synthesis				
		or by other processes, whether or not colored:				
	00	Petroleum jelly	kg	Free		Free
2712.20.00	00	Paraffin wax containing by weight less than	1.	F		0.01/1
		0.75 percent of oil	кд	Free		2.2¢/kg
2712.90		Other:				
2712.90.10	00	Montan wax	kg	Free		Free
2712.90.20	00	Other	kg	Free		2.2¢/kg
2713		Potroloum asks, potroloum bitumen and other recidues of				
2713		Petroleum coke, petroleum bitumen and other residues of petroleum oils or of oils obtained from bituminous minerals:				
		Petroleum coke:				
2713.11.00		Not calcined				Free
2713.12.00 2713.20.00	00	Calcined				45% Free
	00	Other residues of petroleum oils or of oils obtained	ι	riee		Fiee
		from bituminous materials	t	Free		Free
2714		Bitumen and asphalt, natural; bituminous or oil shale and tar sands; asphaltites and asphaltic rocks:				
2714.10.00	00	Bituminous or oil shale and tar sands	t	Free		Free
2714.90.00		Other				Free
2715.00.00	00	Bituminous mixtures based on natural asphalt, on natural bitumen, on petroleum bitumen, on mineral tar or on				
		mineral tar pitch (for example, bituminous mastics,				
		cut-backs)	t	Free		Free
0740 00 00	00	Electrical an army	1.3.47	5		
2716.00.00	00	Electrical energy	kwn	Free		Free
1						